

United States
CONSUMER PRODUCT SAFETY COMMISSION
Washington, D.C. 20207

MEMORANDUM

DATE: March 10, 1998

TO: William King, ESEE
Director, Division of Electrical Engineering

Through: Mary Ann Danello, Ph.D.
Associate Executive Director, Directorate for Epidemiology and Health Sciences

Susan Ahmed, Ph.D.
Director, Division of Hazard Analysis

FROM: Kimberly L. Ault, EHHA

SUBJECT: 1994 National Estimates of Electrocutions Associated with Consumer Products

According to data from National Center for Health Statistics (NCHS), total electrocutions in the U.S. have decreased from 890 deaths in 1984 to 560 in 1994 (the most recent year for which data are available), a reduction of 37 percent. Table 1 shows that during this period, the estimated electrocutions related to consumer products decreased from 330 to 230, a reduction of 30 percent. A regression analysis of the total and consumer product-related electrocutions from 1984 to 1994 showed a significant downward trend in both total electrocution deaths and consumer product-related deaths for this period¹ (see Figure 1). Also, the per capita electrocution death rate has declined. In 1984, estimated consumer product-related electrocutions occurred at a rate of 1.4 per million U.S. population. In 1994, that rate had been reduced to 0.9 per million, a reduction of 36 percent.

Table 2 shows that installed home wiring was the most frequently reported product (18%) involved in electrocutions for 1994. Large appliances such as air conditioners, pumps, generators, washing machines, and clothes dryers were the second most frequently reported group of products (17%) involved in electrocutions. Small appliances including fans, microwaves, radios, televisions, and stereos were the third most frequently reported group of products (16%) involved in electrocutions. Power tools, such as drills and saws, accounted for 13 percent of electrocutions and lighting equipment, mainly lamps and light fixtures, accounted for 10 percent. Other products involved in electrocutions included ladders that came in contact with overhead power lines, garden and farm equipment, pipes, poles, fences, swimming pools, boat hoists, and amusement rides.


¹ The p-value for the regression analysis F-test statistic was 0.0001. A significant p-value is a value less than 0.05 for a 5% significance level test.

Table 1
Electrocutions Related to Consumer Products
and Death Rates Based on U.S. Population, 1984-1994

Year	U.S. Total Electrocutions	Consumer Product Related Electrocutions		Death Rate per Million U.S. Population
		Number	Percent of Total	
1994	560	230	41	0.9
1993	550	210	38	0.8
1992	530	200	38	0.8
1991	630	250	40	1.0
1990	670	270	40	1.1
1989	710	300	42	1.2
1988	710	290	41	1.2
1987	760	310	41	1.3
1986	850	350	41	1.5
1985	810	340	42	1.4
1984	890	330	37	1.4

Source: National Center for Health Statistics, Consumer Product Safety Commission / EHHA.

Figure 1
Total Electrocutions and
Electrocutions Associated with Consumer Products
1984 - 1994



Source: National Center for Health Statistics, Consumer Product Safety Commission / EHHA.

Table 2
Electrocutions Involving Consumer Products, 1994

Type of Consumer Product	Estimate*	Percent
Total Number of Deaths	230	100%
Large Appliances	38	17%
Air Conditioners	10	
Refrigerators/Freezers	3	
Washing Machines/Dryers	7	
Pumps / Generators	11	
Electric Furnaces / Water Heaters	3	
Dishwashers	1	
Ranges/Ovens	1	
Ladders	9	4%
Power Tools	29	13%
Power Drills	14	
Power Saws	7	
Welding Equipment	3	
Other	5	
Lighting Equipment	24	10%
Work Lights	2	
Lamps, Light Fixtures	22	
Installed Household Wiring	42	18%
Small Appliances	37	16%
Extension Cords	14	
Fans	6	
Radios, Televisions, Stereos	5	
Hair, Hygiene Equipment	1	
Microwaves	6	
Other ²	7	
Antennas	16	7%
Garden/Farm Equipment	7	3%
Other Products	29	13%
Pipes, Poles, Fences	11	
Swimming Pools	10	
Boat Hoists/Amusement Rides	3	
Other ³	3	

Source: U.S. Consumer Product Safety Commission / EHHA

* Note: The number of electrocutions associated with each consumer product is an adjusted count. The methodology section describes the estimation process in more detail. Detail may not add to total due to rounding.

² Includes battery chargers, heat tapes, toasters, electric blankets steam cleaners, and vacuum cleaners.

³ Includes electric bed, stun gun, and electric model rocket.

Methodology

All death certificates filed in the U.S. are compiled by the National Center for Health Statistics (NCHS) into multiple cause of mortality data files. The mortality data files contain demographic and geographic information as well as the International Classification of Diseases codes for the underlying cause of death and up to 20 contributing conditions. The data are compiled in accordance with the World Health Organization instructions, which request that member nations classify causes of death by the current Manual of the International Statistical Classification of Diseases, Injuries, and Causes of Death. The International Classification of Diseases, Ninth Revision was implemented in 1979 and was in effect between 1984 and 1994, the years for which data are presented in this report.

The following methodology was used to determine electrocutions associated with the use of consumer products. The first step in the estimation process is searching the NCHS data for the following external cause of death codes (Ecodes):

- 925.0 Accident caused by electric current: Domestic wiring and appliances
- 925.1 Accident caused by electric current: Electric power generating plants, distribution, stations, transmission lines
- 925.2 Accident caused by electric current: Industrial wiring, appliances and electrical machinery,
- 925.8 Accident caused by electric current: Other
- 925.9 Accident caused by electric current: Unspecified

To estimate the total number of consumer product-related electrocutions in a year, the electrocution deaths which occurred in homes, sport/recreational areas, and farms were summed for the Ecodes above. Assuming that those electrocutions that occurred in unspecified locations followed the same distribution as those occurring in known locations, a relative proportion of the unspecified locations was added to the known location counts for each of the Ecodes. The adjusted counts for home, sport/recreational area, and farms were summed to produce the estimated total number of electrocutions associated with consumer products.

The next step in the estimation procedure was to examine CPSC product-related data bases, since the NCHS data does not provide a distribution of the deaths by product. CPSC collects copies of death certificates involving electrocutions and other deaths from individual states. The death certificates that include enough information to identify a related consumer product are coded and maintained in the Death Certificate database (DCRT). Also, CPSC maintains the Injury or Potential Injury Incident database (IPII) which contains data from sources such as letters, telephone calls, newspaper clippings, and reports from consumers, coroners, medical examiners, and fire and police departments. These reports describe deaths, injuries, and "near miss" incidents involving consumer products.

The Death Certificate File (DCRT) and the Injury or Potential Injury Incident File (IPII) were searched for incidents involving electrocutions and then tabulated by specific consumer product. The DCRT file and the IPII file were compared by date of death, state, sex, age, and location of death to determine if there were duplicate deaths. The counts from the two databases were summed to provide the total number of CPSC-collected electrocutions. To estimate the number of electrocutions associated with each product, the percentage of the CPSC database total for each product category was applied to the total number of estimated consumer product-related electrocutions obtained from the NCHS data. These estimates are shown in Table 2.

bcc: Danello, Mary Ann
Ahmed, Sue
Ault, Kim
EHHA Chron